0783 metallic black NF



KERAVETTE

Against wind and weather. And too high energy costs.

Also regarding cost-effectiveness. Unobtrusive and yet still impressive.

Keravette gives a facade a new unmistakeable and individual look. No wonder the word “facade“ has been adopted from the Italian word “faccia“ meaning “face”. 10 beautiful colour tones in NF-format give you an enormous choice of options. So each facade quite easily becomes unmistakeable. The material thickness of 11 mm means this classic among clinker brick slips is not only light but, thanks to the especially high firing temperature, it is also extremely robust. Together with modern thermal insulation, they are also hard to resist when it comes to price.

240 x 71 x 11 mm
NF

KERAVETTE

Irresistible. Uncomplicated. Unobtrusive.

Firings and formats



0707 white
< 6 % · DIN EN 14411, Gr. AII_{a} - Teil 1
NF



0725 patrician red
< 3 % · DIN EN 14411, Gr. AI_{b}
NF



0741 brown
< 3 % · DIN EN 14411, Gr. AI_{b}
NF



0727 patrician red flashed
< 3 % · DIN EN 14411, Gr. AI_{b}
NF



0728 palace
< 3 % · DIN EN 14411, Gr. AI_{b}
NF

0785 graphite
< 6 % · DIN EN 14411, Gr. AII_{a} - Teil 1
NF

0729 achatblue flashed
< 3 % · DIN EN 14411, Gr. AI_{b}
NF

0783 metallic black
< 3 % · DIN EN 14411, Gr. AI_{b}
NF



0747 sherry
< 3 % · DIN EN 14411, Gr. AI_{b}
NF

0788 royal
< 3 % · DIN EN 14411, Gr. AI_{b}
NF

Completely frost resistant 25 year guarantee* · Suitable for insulation systems · Wheaterproof · Economic · In compliance with DIN EN · Fade-free and colourfast · Easy maintenance and hygienic · Ecofriendly · Resistant to chemicals · Glow-resistant and fireproof · Anti-static

Resource-saving extruded.

Energy-efficiently manufactured.

Sustainable building material.

High-quality facade covering for installation systems.

Durable and economical.

25 Frost resistance 25 year guarantee*

KERAVETTE product details

DIN EN 14411
Clinker brick slips, extruded
test result precision

CLINKER BRICK SLIP

CORNER

CORNER

NOMINAL SIZE IN CM		NF		NF		NF	
PRODUCTION SIZE IN MM		240 x 71 x 11		240 x 115 x 71 x 11		175 x 52 x 71 x 11	
COLOUR		PG	ARTICLE	PG	ARTICLE	PG	ARTICLE
0725 PATRICIAN RED		35	95109-002	77	95009-012		
0727 PATRICIAN RED FLASHED			95109-003		95009-013		
0785 GRAPHITE		37	95109-004		95009-014		
0783 METALLIC BLACK			95109-005		95009-015		
0729 ACHATBLUE FLASHED			95109-006		95009-016		
0728 PALACE			95109-007		95009-017		
0741 BROWN			95109-008		95009-018		
0707 WHITE			95109-009		95009-019		
0788 ROYAL			95109-010			76	95009-020
0747 SHERRY			95109-011				95009-021
PIECE	kg		0,399		0,638		0,359
BUNDLE	Piece		26		16		28
	m²/lm		0,52		1,28		2,24
	kg		10,374		10,208		10,052
PALLET	Piece		2.496		1.040		1.680
	m²/lm		49,92		83,20		134,40
	kg		996		664		603
	Bundle		96		65		60
M²/LM	Piece (incl. joint)		50,00		12,50		12,50
	kg		19,950		7,975		4,488
DISCOUNT ON PALLETS			yes		yes		yes
SURCHARGE [1]			yes		yes		yes

PG = Price group (please see price list 2023) [1] = Minimum quantity: each open box will incur a surcharge. The squareness of angled aprons is defined in the Ströher factory standard. The permissible tolerance value ◻ ±1,5 °. For more information, see the section „General requirements and tests“ on page 180.
The formats shown are illustrative drawings and are not binding. All information without guarantee.

* Ströher grants a 25-year guarantee on frost resistance for the following selected coarse ceramic products and series when laid professionally by a qualified specialist company: Roccia Next, Selected, Gravel Blend, Epos, Aera, Roccia, Terra, Stalotec, Farbklang, Nuancist, Brickwerk, Wasserbrand, Kontur, Riegel 50, Steinlinge, Glanzstücke, Zeitlos und Keravette.