2411 Glanzstück No 4, Long format

GLANZSTÜCKE

Retro-brick with sheen effect. Extra slim. Long format.

Extruded vintage look with shine effect and with a used look texture. Quick slurry application.

Extra slim retro brick in long format 440 x 52 x 14 mm. Cleaner vintage look with unobtrusive shine effect. With a used look texture, but still with a smooth surface appearance.

This brick ensures quick application for laying and turns facades into unmistakeable pieces de resistance without the need for joints. And as a high-tech clinker brick slip in high sinter quality, it's a piece de resistance of energy-conscious "shell" design.

440 x 52 x 14 mm
Long format

GLANZSTÜCKE

Vintage Look. Shine effect. Extra slim.

Firings and formats

2484 Glanzstück N° 1
< 3 % · DIN EN 14411, Gr. AI_b
Long format



2426 Glanzstück N° 2
< 3 % · DIN EN 14411, Gr. AI_b
Long format



2473 Glanzstück N° 3
< 6 % · DIN EN 14411, Gr. AII_a - Teil 1
Long format

2411 Glanzstück N° 4
< 6 % · DIN EN 14411, Gr. AII_a - Teil 1
Long format

2487 Glanzstück N° 6
< 3 % · DIN EN 14411, Gr. AI_b
Long format

2475 Glanzstück N° 7
< 3 % · DIN EN 14411, Gr. AI_b
Long format

Completely frost resistant 25 year guarantee*
Suitable for insulation systems
Wheaterproof
Economic
In compliance with DIN EN
Fade-free and colourfast
Easy maintenance and hygienic
Ecofriendly
Resistant to chemicals
Glow-resistant and fireproof
Anti-static

Resource-saving extruded.

Energy-efficiently manufactured.

Sustainable building material.

High-quality facade covering for installation systems.

Durable and economical.

Frost resistance 25 year guarantee*

GLANZSTÜCKE product details

DIN EN 14411
Clinker brick slips, extruded
test result nature

		CLINKER BRICK SLIP		CORNER	
NOMINAL SIZE IN CM		Long format		DF	
PRODUCTION SIZE IN MM		440 x 52 x 14		240 x 115 x 52 x 14	
COLOUR		PG	ARTICLE	PG	ARTICLE
2484 GLANZSTÜCK NO. 1		464	**95126-002**	774	**95026-009**
2426 GLANZSTÜCK NO. 2			**95126-003**		**95026-010**
2473 GLANZSTÜCK NO. 3			**95126-004**		**95026-011**
2411 GLANZSTÜCK NO. 4			**95126-005**		**95026-012**
2487 GLANZSTÜCK NO. 6			**95126-006**		**95026-013**
2475 GLANZSTÜCK NO. 7			**95126-007**		**95026-014**
PIECE	kg	0,725		0,558	
BUNDLE	Piece	30		14	
	m^2/lm	0,87		0,90	
	kg	21,750		7,812	
PALLET	Piece	1.200		910	
	m^2/lm	34,71		58,22	
	kg	870		508	
	Bundle	40		65	
M^2/LM	Piece (incl. joint)	34,57		15,63	
	kg	25,063		8,722	
DISCOUNT ON PALLETS		yes		yes	
SURCHARGE [1]		yes		yes	

PG = Price group (please see price list 2023) [1] = Minimum quantity: each open box will incur a surcharge. The squareness of angled aprons is defined in the Ströher factory standard. The permissible tolerance value ⏢ ±1,5 °. For more information, see the section „General requirements and tests“ on page 180.
The formats shown are illustrative drawings and are not binding. All information without guarantee.

* Ströher grants a 25-year guarantee on frost resistance for the following selected coarse ceramic products and series when laid professionally by a qualified specialist company: Roccia Next, Selected, Gravel Blend, Epos, Aera, Roccia, Terra, Stalotec, Farbklang, Nuancist, Brickwerk, Wasserbrand, Kontur, Riegel 50, Steinlinge, Glanzstücke, Zeitlos und Keravette.