4577 aschgrau DF

BRICKWERK

Expressive coal firing and ring furnace look, innovatively accented.

Authentic coal firing and ring furnace contouring on full body.

Intensive colouring, pronounced bulges and prints, set marks, burn outs and sooty smoke flags on the firing skin: authentic and innovative, Brickwerk reinterprets the typical coal firing and ring furnace look of historic clinker bricks.

Entirely without aggregates such as coal or peat, the traditional clinker production is revolutionised with state-of-the-art, high-tech glaze technology. Innovative surface technology powerfully accentuates the surface of the Brickwerk clinker brick slips, which are coloured right through. Haptic as well as optical effects. Intense colour brilliance; full of character. While also being completely natural and resource-friendly. Brickwerk is available in six colours in NF/DF format.

240 x 52 x 12 mm
DF

240 x 71 x 12 mm
NF

BRICKWERK

Authentic. Intensive colour brilliance. Full-body.

Firings and formats

4585 eisenschwarz
< 3 % · DIN EN 14411, Gr. AI_b
DF NF

4522 kupferrot
< 6 % · DIN EN 14411, Gr. $AII_{a\text{-Teil}}$
DF NF

4577 aschgrau
< 3 % · DIN EN 14411, Gr. AI_b
DF NF

4526 flammenrot
< 6 % · DIN EN 14411, Gr. $AII_{a\text{-Teil}}$
DF NF

4545 moorbraun
< 3 % · DIN EN 14411, Gr. AI_b
DF NF

4528 violettrot
< 6 % · DIN EN 14411, Gr. $AII_{a\text{-Teil}}$
DF NF

Completely frost resistant 25 year guarantee*

Suitable for insulation systems

Wheaterproof

Economic

In compliance with DIN EN

Fade-free and colourfast

Easy maintenance and hygienic

Ecofriendly

Resistant to chemicals

Glow-resistant and fireproof

Anti-static

Resource-saving extruded.

Energy-efficiently manufactured.

Sustainable building material.

High-quality facade covering for installation systems.

Durable and economical.

Frost resistance 25 year guarantee*

BRICKWERK product details

DIN EN 14411
Clinker brick slips, extruded
test result precision

		CLINKER BRICK SLIP		CORNER		LINTEL ANGLE		CLINKER BRICK SLIP		CORNER		LINTEL ANGLE	
NOMINAL SIZE IN CM		DF		DF		DF		NF		NF		NF	
PRODUCTION SIZE IN MM		240 x 52 x 12		240 x 115 x 52 x 12		240 x 115 x 52 x 12		240 x 71 x 12		240 x 115 x 71 x 12		240 x 115 x 71 x 12	
COLOUR		PG	ARTICLE	PG	ARTICLE	PG	ARTICLE	PG	ARTICLE	PG	ARTICLE	PG	ARTICLE
4585 EISENSCHWARZ			**95052-002**		**95052-014**		**95052-026**		**95052-008**		**95052-020**		**95052-032**
4577 ASCHGRAU		445	**95052-003**	758	**95052-015**	804	**95052-027**	445	**95052-009**	767	**95052-021**	83	**95052-033**
4545 MOORBRAUN			**95052-004**		**95052-016**		**95052-028**		**95052-010**		**95052-022**		**95052-034**
4522 KUPFERROT			**95052-005**		**95052-017**		**95052-029**		**95052-011**		**95052-023**		**95052-035**
4526 FLAMMENROT		448	**95052-006**	764	**95052-018**	806	**95052-030**	448	**95052-012**	776	**95052-024**	84	**95052-036**
4528 VIOLETTROT			**95052-007**		**95052-019**		**95052-031**		**95052-013**		**95052-025**		**95052-037**
PIECE	kg	0,312 / 0,330 [2]		0,462 / 0,490 [2]		0,898 / 0,951 [2]		0,427 / 0,452 [2]		0,618 / 0,655 [2]		1,070 / 1,135 [2]	
BUNDLE	Piece	52		14		6		39		14		4	
	m^2/lm	0,81		0,87		1,50		0,81		1,12		1,00	
	kg	16,224 / 17,160 [2]		6,468 / 6,860 [2]		5,388 / 5,706 [2]		16,653 / 17,628[2]		8,652 / 9,170 [2]		4,280 /4,540 [2]	
PALLET	Piece	4.212		910		684		3.159		910		456	
	m^2/lm	65,81		56,42		171,00		65,81		72,80		114,00	
	kg	1.314 / 1.390 [2]		420 / 446 [2]		614 / 650 [2]		1.349 / 1.428 [2]		562 / 596 [2]		488 / 518 [2]	
	Bundle	81		65		114		81		65		114	
M^2/LM	Piece (incl. joint)	64,00		16,13		4,00		48,00		12,50		4,00	
	kg	19,968 / 21,120 [2]		7,452 / 7,904 [2]		3,592 / 3,804 [2]		20,496 / 21,696 [2]		7,725 / 8,188 [2]		4,280 / 4,540 [2]	
DISCOUNT ON PALLETS		yes		yes		yes		yes		yes		yes	
SURCHARGE [1]		yes		yes		yes		yes		yes		yes	

PG = Price group (please see price list 2023) [1] = Minimum quantity: each open box will incur a surcharge. [2] = Weight indications for the colours 4522 kupferrot, 4526 flammenrot und 4528 violettrot. The squareness of angled aprons is defined in the Ströher factory standard. The permissible tolerance value ⏢ ±1,5 °. For more information, see the section „General requirements and tests“ on page 180.
The formats shown are illustrative drawings and are not binding. All information without guarantee.

* Ströher grants a 25-year guarantee on frost resistance for the following selected coarse ceramic products and series when laid professionally by a qualified specialist company: Roccia Next, Selected, Gravel Blend, Epos, Aera, Roccia, Terra, Stalotec, Farbklang, Nuancist, Brickwerk, Wasserbrand, Kontur, Riegel 50, Steinlinge, Glanzstücke, Zeitlos und Keravette.