

EG declaration of conformity	CE₀₅
Ströher GmbH Ströherstr. 2-10 35683 Dillenburg Germany	
place of production: Ströherstr. 2-10 - 35683 Dillenburg - Germany	

herewith declares:

the accordance of the product floor tile '**Stalotec**'

with the terms of attachment ZA to the norm EN 14411 'ceramic tiles - definitions, categorisation, attributes of performance and identification marking

0,5%<E≤3%; **description and intended application of the product: ceramic floor tile unglazed.'**

Terms of accordance of the product with the norm:

attribute of performance	description of value
fire performance	A1
dangerous substances	value not acquired
slip resistance	value not acquired
collapse load	format 1100 = 1380 N format 1113 = 2800 N format 1115 = 3200 N format 1118 = 4100 N format 1120 = 5500 N format 3180 = 2800 N
anti skid attribute	wet loaded barefoot areas group: B, except format 3180 group: C; commercial floor tiles with increased slip hazard group: R11; except format 3180 group: R12-V8.
Durability frost/dew	norm fulfilled

Names and addresses of the involved laboratories: laboratory of the company Ströher GmbH, Dillenburg and testing laboratory Dreiländereck GmbH, 35708 Haiger.

signed:

Name: Jörg Schwarz

function: QMB